

Yale **MINI 360** *new!*

Hand chain hoist



Yale **MINI 360** *new!*

The smallest of the Yale hand chain hoists has a compact design and a hand chain wheel cover that allows a rotation of 360°.

This ensures a high level of safety, as it is possible to work outside the danger zone.

Due to its size, the Yale *MINI 360* fits into every tool box and supports the operator in his work. The housing of the new Yale *MINI 360* is made of die-cast aluminium, which makes it a very lightweight hand chain hoist. Due to the low weight, there are countless possible applications, e.g. assembly work in industry, car repair shops, crafts etc.

CAPACITIES 250-500 KG

BENEFITS & FEATURES

360° ROTATING HAND CHAIN GUIDE

With the 360° rotating hand chain guide, a very large work area can be covered, this makes it possible for the operator to stand clear of the danger zone.

COMPACT DESIGN

Compact design, light weight, easy to carry.

ROBUST HOUSING

Made of die-cast aluminium. Due to the compact housing, all internal parts are protected. The device can therefore also be used outdoors or in rough environments.

LOAD PRESSURE BRAKE

The load pressure brake complies with all technical regulations, thus the load is held in any position.

RELIABLE LOAD CHAIN GUIDE


The load chain runs over the load chain wheel and is protected by the enclosed load chain guide ensuring full contact of the load chain with the load wheel pockets.

ROTATING HOOK - EASY TO MAINTAIN

The standard equipment includes forged lifting and load hooks made from age-resistant high-alloy tempered steel, which open when overloaded without breaking. The hooks can be rotated through 360 degrees and are fitted with robust safety catches.


HIGH QUALITY LOAD CHAIN

The galvanized steel load chain complies with all applicable national and international regulations. The optimal fit to the load chain wheel ensures safe and long lasting operation.



*Mini
but mighty!*

**LIFT & POSITION
FROM ANY ANGLE**




Technical data YaleMINI 360

Model	Art.-No.	Capacity kg	Number of chain falls	Chain dimensions d x p in mm/ design	Lifting height m	Lift per 1 m hand chain overhaul mm	Handle pull at WLL daN	Weight kg
YaleMINI 360 250	192084199	250	1	3x9 - T	3.0	40	25	2.9
YaleMINI 360 500	192084200	500	1	4x12 - T	3.0	25	24	4.3
YaleMINI 360 250	192087582	250	1	3x9 - T	6.0	40	25	4.5
YaleMINI 360 500	192087584	500	1	4x12 - T	6.0	25	24	6.3
YaleMINI 360 250	192087585	250	1	3x9 - T	10.0	40	25	6.7
YaleMINI 360 500	192087586	500	1	4x12 - T	10.0	25	24	9.0

Dimensions YaleMINI 360

Modell	YaleMINI 360 250	YaleMINI 360 500
A min., mm	245	285
B, mm	17	22
C, mm	21	23
D, mm	13	18
E, mm	84	104
F, mm	87	101
G, mm	51	58
H, mm	36	43
K, mm	150	175

360°
**EXPERIENCE THE
 ADVANTAGE OF 360°**



Lifting application



Pulling application